EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5063	((380/228) or (380/268) or (380/277-278) or (380/281-285) or (380/28-30) or (726/2-5) or (726/26-30)).CCLS.	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:53
L2	1526	(user\$1 client\$1 grantee\$1) near2 (private secret\$2) near2 key\$1	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:57
L3	446	(sender\$1 grantor's) near2 (private secret\$2) near2 key\$1	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:53
L4 `	81	L1 and L2 and L3	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:53
L8	511	(sender\$1 grantor's) near2 (public\$2) near2 key\$1	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:58
L9	189	L2 and L8	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:53
L10	605	(undecrypt\$6 un-decrypt\$6 undecipher\$7 un-decipher\$7 ((remain\$1) near3 (encrypt\$6 encipher\$7 cipher\$7)))	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:53
L11	639	(undecrypt\$6 un-decrypt\$6 undecipher\$7 un-decipher\$7 ((remain\$4 not\$1) near3 (decrypt\$6 decipher\$7)))	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:53
L12	1070	(message\$1 packet\$1 datapacket\$1 data-gram\$1 datagram\$1) near2 (public\$2) near2 key\$1	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:53
L14	29	L10 and L12	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:53
L16	42	proxy near key\$1	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:53
L18	16	L8 and L11	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:53
L19	10	L16 and (transform\$7 near4 (message\$1 packet\$1 datagram\$1))	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:53
L20	8	L18 and L2	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:53
L21	4	L14 and L2 and L3	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:53
L22	29	L14 and ((private\$1 secret\$1) near2 key\$)	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:53
L23	5	L16 with (transform\$7 encrypt\$7 encipher\$8 cipher\$8 crypto\$9) near4 (message\$1 packet\$1 datagram\$1)	USPAT; IBM_TDB	OR	OFF	2007/05/23 16:00
L24	18	L16 with (encrypt\$7 encipher\$8 cipher\$8 crypto\$9)	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:53

EAST Search History

			•			
L25	9	L19 and L24	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:53
L26	6290	((380/228) or (380/268) or (380/277-278) or (380/281-285) or (380/28-30) or (726/2-5) or (726/26-30) or (713/170-171) or (713/189) or (713/193)).CCLS.	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:55
L27	38	(proxy) near2 (public\$2 shared) near2 key\$1	USPAT; IBM_TDB	OR	OFF	2007/05/23 16:17
L28	3029	l26 and ((private secret\$2) near2 key\$1)	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:59
L29	1171	(generat\$3 compos\$3) near2 (public\$2 shared) near2 key\$1	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:59
L30	779	l29 with ((private secret\$2) near2 key\$1)	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:59
L31	471	I28 and I30	USPAT; IBM_TDB	OR	OFF	2007/05/23 15:59
L32	137	proxy near3 key\$1	USPAT; IBM_TDB	OR	OFF	2007/05/23 16:15
L33	3	L16 with ((transform\$7 reencrypt\$7 reencipher\$8 recipher\$8 re-encrypt\$7 re-encipher\$8 re-cipher\$9) near6 (message\$1 packet\$1 datagram\$1))	USPAT; IBM_TDB	OR	OFF	2007/05/23 16:02
L34	18	I32 and ((transform\$7 reencrypt\$7 reencipher\$8 recipher\$8 re-encrypt\$7 re-encipher\$8 re-cipher\$9) near6 (message\$1 packet\$1 datagram\$1))	USPAT; IBM_TDB	OR	OFF	2007/05/23 16:11
L35	9	I32 and I31	USPAT; IBM_TDB	OR	OFF ·	2007/05/23 16:11
L36	36	proxy adj2 key\$1	USPAT; IBM_TDB	OR	OFF	2007/05/23 16:15